





	RAINBOW OPTO-ELECTRONIC CO.,LTD		
	TEL:86-20-37220827	FAX: 86-20-37221662	Contact person: Selena
	Email:Lights2@rainbowlightings.com	Website:www.rainbowlightings.com	
	Add:NO.685 South of Baiyun Avenue,Baiyun District,Guangzhou,China		



Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-G9-70pcs-3014	Power	3W	US\$3.20	US\$3.00	US\$2.90	dimmable
	LEDs	70pcs 3014				
	Voltage	AC110V/AC220V				
	Lumen	200lm				
	Viewing angle	360°				
	Base	G9/E14				
	Materials	Silicone				
	Dimension	15*60mm				
	Base	E14/G9				
ROE-G9-104pcs-3014	Power	3W	US\$2.80	US\$2.60	US\$2.42	WW/CW
	LEDs	104pcs 3014				
	Voltage	AC220V				
	Lumen	300lm				
	Viewing angle	360°				
	Base	G9/E14				
	Materials	Silicone				
	Dimension	16*62mm				
	Base	E14/G9				
ROE-G9-6pcs-2835	Power	2W	US\$2.60			Promotion
	LEDs	6pcs 2835				
	Voltage	AC110V/AC230V				
	Lumen	180lm±10%				
	Viewing angle	360°				
	Base	G9				
	Materials	Aluminum				
	Dimension	20*58mm				
Weight	30g					
ROE-G9-2835	Power	3W	US\$2.00	US\$1.90	US\$1.80	WW/CW
	LEDs	32pcs 2835				
	Voltage	AC/DC12V/AC85-265V				
	Lumen	250lm±10%				
	Viewing angle	360°				
	base	G9/G4				
	Materials	Epoxy resin glue				
	Dimension	16*51mm				
Weight	20g					
ROE-G9-64SMD-3014	Power	3W	US\$2.00	US\$1.90	US\$1.80	WW/CW
	LEDs	64pcs 3014				
	Voltage	AC100-130V/220-240V				
	Lumen	200lm				
	Viewing angle	360°				
	Base	G9/E14				
	Materials	Epoxy resin glue				
	Dimension	16*51mm				
Weight	20g					


ROE-G9-COB7.5W	Power	7.5W	US\$4.33	US\$4.11	US\$3.90	WW/CW
	LEDs	5pcs COB				
	Voltage	AC85-265V				
	Lumen	250lm				
	Viewing angle	360°				
	Base	G9/G4/GY8.0/G6.35				
	Materials	Alluminum+ceramic				
	Dimension	19*55mm				
	Weight	30g				
All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥80,life span:≥50000h ,PF:≥0.8.						
G4 LED Light						
Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-G4100-1.5W	Power	1.5W	US\$1.34	US\$1.27	US\$1.21	WW/CW
	LEDs	24pcs 3014				
	Voltage	AC&DC12V				
	Lumen	90lm				
	Viewing angle	360°				
	Base	G4				
	Materials	Epoxy resin glue				
	Dimension	10*36mm				
	Weight	7g				
ROE-G4110-2W	Power	2W	US\$1.90	US\$1.81	US\$1.71	WW/CW
	LEDs	48pcs 3014				
	Voltage	AC&DC12V				
	Lumen	150lm				
	Viewing angle	360°				
	Base	G4				
	Materials	Epoxy resin glue				
	Dimension	12*36mm				
	Weight	9g				
ROE-G4111-3W	Power	3W	US\$2.00	US\$1.90	US\$1.80	WW/CW
	LEDs	64pcs 3014				
	Voltage	AC220V				
	Lumen	250lm				
	Viewing angle	360°				
	Base	G4				
	Materials	Epoxy resin glue				
	Dimension	10*36mm				
	Weight	15g				
ROE-G4112-3W	Power	3W	US\$2.00	US\$1.90	US\$1.80	DC Dimming
	LEDs	32 pcs 2835				
	Voltage	AC&DC12V/220V/110V				
	Lumen	250lm±10%				
	Viewing angle	360°				
	Base	G4				
	Materials	Epoxy resin glue				
	Dimension	16*44mm				
	Weight	15g				
ROE-G4103-3W	Power	3W	US2.18	US\$2.07	US\$1.96	Non-dimmable
	LEDs	8pcs 2835				
	Voltage	AC&DC12V/AC90-265V				
	Lumen	130lm				
	Viewing angle	360°				
	Base	G4				
	Materials	Ceramic				
	Dimension	18*55mm				
	Weight	23g				
ROE-G4104-1.5W	Power	1.5W	US\$2.55	US\$2.42	US\$2.30	WW/CW
	LEDs	1pcs CREE				
	Voltage	AC&DC12V				
	Lumen	50lm				
	Viewing angle	120°				
	Base	G4				
	Materials	Aluminum				
	Dimension	10*33mm				
	Weight	2g				

ROE-G4108-4.5W	Power	2.3W	US\$2.80	US\$2.66	US\$2.52	Non-dimmable
	LEDs	3pcs COB				
	Voltage	DC12V				
	Lumen	200lm±10%				
	Viewing angle	360°				
	Base	G4				
	Materials	Epoxy resin glue				
	Dimension	16*48mm				
	Weight	21g				
ROE-G4109-6W	Power	2.5W	US\$3.10	US\$2.95	US\$2.79	Non-dimmable
	LEDs	4pcs COB				
	Voltage	DC12V				
	Lumen	200lm±10%				
	Viewing angle	360°				
	Base	G4				
	Materials	Alluminum				
	Dimension	16*48mm				
	Weight	21g				
ROE-G4110-7.5W	Power	3W	US\$4.33	US\$4.10	US\$3.90	DC Dimming
	LEDs	5pcs COB				
	Voltage	AC&DC12V/220V/110V				
	Lumen	250lm±10%				
	Viewing angle	360°				
	Base	G4/GY8.0/G6.35				
	Materials	Aluminum				
	Dimension	19*55mm				
	Weight	30g				

All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥75,life span:≥50000h ,PF:≥0.8.







R7S LED Light



Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-R7S-78MM-5W(2835)	Power	5W	US\$2.88	US\$2.74	US\$2.59	if dimmable, 1.5\$/pcs more (110/220V)
	LEDs	18pcs 2835				
	Voltage	AC85-265V				
	Lumen	400lm+10%				
	Viewing angle	200°				
	Base	R7S				
	Materials	Aluminum+plastic				
	Dimension	54*78mm RA≥80				
	Weight	120g				
ROE-R7S-118MM-10W(2835)	Power	10W	US\$4.15	US\$3.94	US\$3.74	if dimmable, 3\$/pcs more(220V)
	LEDs	42pcs 2835				
	Voltage	AC85-265V				
	Lumen	850lm				
	Viewing angle	200°				
	Base	R7S				
	Materials	Aluminum+plastic				
	Dimension	50*118mm RA>80				
	Weight	140g				
ROE-R7S-135MM-12W	Power	12W	US\$5.60	US\$5.32	US\$5.04	Non-dimmable
	LEDs	54pcs2835				
	Voltage	AC85-265V				
	Lumen	1000lm ±10%				
	Viewing angle	200°				
	Base	R7S				
	Materials	Aluminum+plastic				
	Dimension	∅ 54*135mm RA>80				




**All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥80,life span:≥50000h ,PF:≥0.8.**

G24 LED Horizontal Plug Light						
Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-G24-5W	Power	5W	US\$3.54	US\$3.36	US\$3.19	WW/NW/CW
	LEDs	24pcs 2835				
	Voltage	AC85-265V				
	Lumen	380lm				
	Viewing angle	120°				
	Base	G24/E27/B22				
	Materials	Aluminum+PVC				
	Dimension	35*35*120mm				
ROE-G24-7W	Power	7W	US\$4.87	US\$4.63	US\$4.38	WW/NW/CW
	LEDs	36pcs 2835				
	Voltage	AC85-265V				
	Lumen	600lm				
	Viewing angle	120°				
	Base	G24/E27/B22				
	Materials	Aluminum+PVC				
	Dimension	35*35*140mm				
ROE-G24-9W	Power	9W	US\$5.10	US\$4.85	US\$4.59	WW/NW/CW
	LEDs	40pcs 2835				
	Voltage	AC85-265V				
	Lumen	780lm				
	Viewing angle	120°				
	Base	G24/E27/B22				
	Materials	Aluminum+PVC				
	Dimension	35*35*160mm				
ROE-G24-12W	Power	12W	US\$6.90	US\$6.56	US\$6.21	WW/NW/CW
	LEDs	60pcs 2835				
	Voltage	AC85-265V				
	Lumen	1100lm				
	Viewing angle	120°				
	Base	G24/E27/B22				
	Materials	Aluminum+PVC				
	Dimension	35*35*190mm				
ROE-G12-9W	Power	9W	US\$9.84	US\$9.35	US\$8.86	WW/NW/CW
	LEDs	108pcs 2835				
	Voltage	AC85-265V				
	Lumen	1100lm				
	Viewing angle	360°				
	Base	G12				
	Materials	Aluminum+PVC				
	Dimension	35*100mm				
All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥80,life span:≥50000h ,PF:≥0.8.						
LED Corn Light						
Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-CR97-E2712W	Power	12W	US\$9.17	US\$8.71	US\$8.25	Non-dimmable
	LEDs	84pcs 2835				
	Voltage	AC85-265V				
	Lumen	1150lm				
	Viewing angle	360°				
	Base	E27				
	Materials	Aluminum+PC (clear or				
	Dimension	81*213mm				







	ROE-CR98-E27-15W	Power	15W	US\$11.00	US\$10.45	US\$9.90	Non-dimmable
		LEDs	105pcs 2835				
		Voltage	AC85-265V				
		Lumen	1400lm				
		Viewing angle	360°				
		Base	E27				
		Materials	Aluminum+PC (clear or				
		Dimension	81*233mm				
		Weight	520g				
	ROE-CR99-E27-20W	Power	20W	US\$12.00	US\$11.40	US\$10.80	Non-dimmable
		LEDs	126pcs 2835				
		Voltage	AC85-265V				
		Lumen	2000lm				
		Viewing angle	360°				
		Base	E27				
		Materials	Aluminum+PC (clear or				
		Dimension	81*253mm				
		Weight	550g				
	ROE-CR100-E27-5W	Power	5W	US\$3.32	US\$3.15	US\$2.99	Non-dimmable
		LEDs	30pcs 2835				
		Voltage	AC85-265V				
		Lumen	400lm				
		Viewing angle	360°				
		Base	E27/E14/B22				
		Materials	plastic				
		Dimension	32*102mm				
		Weight	70g				
	ROE-CR101-E27-7W	Power	7W	US\$4.43	US\$4.21	US\$3.99	Non-dimmable
		LEDs	42pcs 2835				
		Voltage	AC85-265V				
		Lumen	650lm				
		Viewing angle	360°				
		Base	E27/E14/B22				
		Materials	plastic				
		Dimension	35*105mm				
		Weight	90g				
	ROE-CR102-E27-9W	Power	9W	US\$5.57	US\$5.29	US\$5.01	Non-dimmable
		LEDs	64pcs 2835				
		Voltage	AC85-265V				
		Lumen	850lm				
		Viewing angle	360°				
		Base	E27/E14/B22				
		Materials	plastic				
		Dimension	50*125mm				
		Weight	110g				
	ROE-CR110-E27-12W	Power	12W	US\$7.30	US\$6.94	US\$6.57	Non-dimmable
		LEDs	84pcs 2835				
		Voltage	AC85-265V				
		Lumen	1150lm				
		Viewing angle	360°				
		Base	E27/E14/B22				
		Materials	plastic				
		Dimension	71*150mm				
		Weight	140g				
	ROE-CR111-E27-15W	Power	15W	US\$7.97	US\$7.57	US\$7.17	Non-dimmable
		LEDs	98pcs 2835				
		Voltage	AC85-265V				
		Lumen	1350lm				
		Viewing angle	360°				
		Base	E27/E14/B22				
		Materials	plastic				
		Dimension	71*150mm				
		Weight	150g				



ROE-CR112-E27-20W	Power	20W	US\$13.00	US\$12.35	US\$11.70	Non-dimmable
	LEDs	132pcs 2835				
	Voltage	AC85-265V				
	Lumen	2000lm				
	Viewing angle	360°				
	Base	E27/E14/B22				
	Materials	plastic				
	Dimension	63*204mm				
	Weight	320g				


**All above light have CE and ROHS certification, Chip Epistar , Warm white:2700-3200K, Natural White:4000-4500K, Cool White:6000-6500K ,Ra:≥80, life span:≥50000h ,PF:≥0.8.**

## LED Candle Light

Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-BL207-E14-3W	Power	3w	US\$3.95			promotion
	LEDs	3pcs COB				
	Voltage	AC85-265V				
	Lumen	220lm				
	Viewing angle	120°				
	Base	E14/E27				
	Materials	Aluminum+Glass				
	Dimension	φ 37*110mm				
	Weight	100g				
	ROE-BL201-E14-3W	Power				
	LEDs	6pcs 5730				
	Voltage	AC85-265V				
	Lumen	250lm				
	Viewing angle	120°				
	Base	E27/E14				
	Materials	Ceramic+PVC				
	Dimension	37*138 or 37*106mm				
	type	pull the tail and tip bubble				
ROE-BL200-E14-3W	Power	3W	US\$3.90	US\$3.71	US\$3.51	if dimmable, 1\$/p cs more (110/220V) WW/CW
	LEDs	6pcs 5730&3022				
	Voltage	AC85-265V				
	Lumen	250lm				
	Viewing angle	360°				
	Base	E12/E14/E17/E26/E27/B				
	Materials	Aluminum+Glass				
	Dimension	37*117mm				
	Weight	80g				
ROE-BL208-E14-3W	Power	3W	US\$1.98			if dimmable, 1\$/p cs more (110/220V) WW/CW
	LEDs	6pcs 5730&2835				
	Voltage	AC85-265V				
	Lumen	250lm				
	Viewing angle	120°				
	Base	E27/E14				
	Materials	Aluminum+Glass				
	Dimension	45*90mm				
	Weight	100g				
ROE-BL202-E14-4W	Power	4W	US\$4.08	US\$3.88	US\$3.67	if dimmable, 1\$/p cs more (110/220V) WW/CW
	LEDs	8pcs 5730				
	Voltage	AC85-265V				
	Lumen	320lm				
	Viewing angle	360°				
	Base	E12/E14/E17/B15/E26				
	Materials	Aluminum+Glass				
	Dimension	37*131mm				
	Weight	80g				
ROE-BL203-E14-5W	Power	5W	US\$4.88	US\$4.64	US\$4.39	if dimmable, 1\$/p cs more (110/220V) WW/CW
	LEDs	9pcs 5730				
	Voltage	AC85-265V				
	Lumen	360lm				
	Viewing angle	360°				
	Base	E12/E14/E17/				
	Materials	Aluminum+Glass				
	Dimension	37*142mm				
	Weight	100g				




All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥75,life span:≥50000h ,PF:≥0.8.

Anion LED Lamp(air purify light )

Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-AL100-3W	Power	3W	US\$4.88	US\$4.64	US\$4.39	WW/NW/CW
 blue,black,white color for choice	LEDs	15pcs 2835				
	Voltage	AC100-240V				
	Lumen	350lm				
	Base	E27				
	Materials	Aluminum+PC				
	Dimension	60*112mm				
	Weight	190g				
ROE-AL102-5W	Power	5W	US\$4.95	US\$4.70	US\$4.46	WW/NW/CW
 blue,black,white color for choice	LEDs	25pcs 2835				
	Voltage	AC100-240V				
	Lumen	450-500lm				
	Base	E27				
	Materials	Aluminum+PC				
	Dimension	60*112mm				
	Weight	190g				

LED Bulb Light







Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-AL100-3W	Power	3W	US\$6.40	US\$6.08	US\$5.76	WW/NW/CW
 NEW	LEDs	15pcs 2835				
	Voltage	AC100-240V				
	Lumen	300lm				
	Base	E27/B22				
	Materials	Aluminum+PC				
	Dimension	60*112mm				
	Package	7*7.5*16cm				
ROE-AL102-5W	Power	5W	US\$6.50	US\$6.18	US\$5.85	WW/NW/CW
	LEDs	25pcs 2835				
	Voltage	AC100-240V				
	Lumen	450lm				
	Base	E27/B22				
	Materials	Aluminum+PC				
	Dimension	60*112mm				
	Package	7*7.5*16cm				
ROE-A50-E27-3W	Power	3W	US\$2.46	US\$2.34	US\$2.21	Non-dimmable
	LEDs	15pcs 2835				
	Voltage	AC85~265V				
	Lumen	300lm				
	Viewing angle	270°				
	Base	E27/B22				
	Materials	aluminum+ PVC				
	Dimension	50*95mm				
	Weight	85g				











# LED Tube Light T8



Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-T8-600mm-10W	Power	10W	US\$5.50	US\$5.23	US\$4.95	WW/NW/CW
	LEDs	72pcs 2835				
	Voltage	AC85~265V				
	Lumen	900lm				
	Materials	aluminum+ PVC				
	Dimension	26*603mm				
	Base	G13				
ROE-T8-900mm-14W	Power	14W	US\$7.34	US\$6.97	US\$6.61	WW/NW/CW
	LEDs	120pcs 2835				
	Voltage	AC85~265V				
	Lumen	1300lm				
	Materials	aluminum+ PVC				
	Dimension	26*909mm				
	Base	G13				
ROE-T8-1200mm-20W	Power	20W	US\$7.30			Promotion
	LEDs	154pcs 2835				
	Voltage	AC85~265V				
	Lumen	1700lm				
	Materials	aluminum+ PVC				
	Dimension	26*1213mm				
	Base	G13				
ROE-T8-1500mm-22W	Power	22W	US\$12.00	US\$11.40	US\$10.80	WW/NW/CW
	LEDs	207pcs 2835				
	Voltage	AC85~265V				
	Lumen	2100lm				
	Materials	aluminum+ PVC				
	Dimension	26*1513mm				
	Base	G13				


## NEW DESIGN T8 2835SMD LED tube light-----Non-Isolated Driver

Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-T8-600mm-10W	Power	10W	US\$4.92	US\$4.62	US\$4.43	WW/NW/CW
 	LEDs	60PCS 2835				
	Voltage	AC85~265V				
	Lumen	850lm				
	Materials	aluminum+ PVC				
	Dimension	26*603mm				
	Base	G13				
ROE-T8-900mm-14W	Power	14W	US\$5.70	US\$5.42	US\$5.12	WW/NW/CW
 	LEDs	88PCS 2835				
	Voltage	AC85~265V				
	Lumen	1200lm				
	Materials	aluminum+ PVC				
	Dimension	26*909mm				
	Base	G13				



	ROE-T8-1200mm-18W	Power	18W	US\$6.89	US\$6.55	US\$6.19	WW/NW/CW
		LEDs	120PCS 2835				
		Voltage	AC85~265V				
		Lumen	1650lm				
		Materials	aluminum+ PVC				
		Dimension	26*1213mm				
		Base	G13				
	ROE-T8-1500mm-22W	Power	22W	US\$8.46	US\$7.99	US\$7.61	WW/NW/CW
		LEDs	154PCS 2835				
		Voltage	AC85~265V				
		Lumen	1900lm				
		Materials	aluminum+ PVC				
		Dimension	26*1513mm				
		Base	G13				

All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥80,life span:≥50000h ,PF:≥0.95.

T8--Waterproof

<div></div>	ROE-T8-1200mm-waterproof		US\$12.79	US\$12.45	US\$12.18	WW/NW/CW
	Watt	18W				
	LEDs	144PCS 2835				
	Voltage	AC85~265V				
	Lumen	1700lm				
	Materials	aluminum+ PVC				
	Dimension	26*1198mm				


T8 to T5 led tube light

	ROE-T8 to T5-600mm	Watt	10W	US\$7.35	US\$7.14	US\$6.92	WW/NW/CW
		LEDs	72PCS 2835				
		Voltage	AC85~265V				
		Lumen	850lm				
		Materials	aluminum+ PVC				
		Dimension	26*549mm				
		structure	T8body, T5base				
	ROE-T8 to T5-600mm	Watt	18W	US\$11.25	US\$10.92	US\$10.60	WW/NW/CW
		LEDs	120PCS 2835				
		Voltage	AC85~265V				
		Lumen	1600lm				
		Materials	aluminum+ PVC				
		Dimension	26*1149mm				
		structure	T8body, T5base				

Advantage: 1、2835chip-high lumen 2、High quality packing 3、High quality 2 years warranty

All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥80,life span:≥50000h ,PF:≥0.95.



Style No/Picture	Description		Price(USD)			attention
			20-300pcs	300-2000pcs	>2000pcs	
ROE-PAR30-E27-COB5W	Power	5W	US\$7.08	US\$6.73	US\$6.37	if dimmable,1.5\$/ pcs more (220V) WW/CW
	LEDs	COB				
	Voltage	AC85~265V				
	Lumen	380lm				
	Viewing angle	60°				
	Base	E27/GU10				
	Materials	aluminum+Glass				
	Dimension	95*100mm				
	Weight	330g				



ROE-PAR30-E27-COB7W	Power	7W	US\$8.40	US\$7.98	US\$7.56	if dimmable,2.5\$/ pcs more (220V) WW/CW
	LEDs	COB				
	Voltage	AC85~265V				
	Lumen	520lm				
	Viewing angle	60°				
	Base	E27/GU10				
	Materials	aluminum+Glass				
	Dimension	95*100mm				
	Weight	330g				
ROE-PAR30-E27-COB9W	Power	9W	US\$8.75	US\$8.31	US\$7.88	if dimmable,2.5\$/ pcs more (220V) WW/CW
	LEDs	COB				
	Voltage	AC85~265V				
	Lumen	700lm				
	Viewing angle	60°				
	Base	E27/GU10				
	Materials	aluminum+Glass				
	Dimension	95*100mm				
	Weight	330g				
ROE-PAR38-E27-COB12W	Power	12W	US\$13.22	US\$12.56	US\$11.90	Non-dimmable
	LEDs	COB				
	Voltage	AC85~265V				
	Lumen	900lm				
	Viewing angle	60°				
	Base	E27				
	Materials	aluminum+Glass				
	Dimension	121*140mm				
	Weight	550g				
ROE-PAR38-E27-COB15W	Power	15W	US\$13.85	US\$13.16	US\$12.47	Non-dimmable
	LEDs	COB				
	Voltage	AC85~265V				
	Lumen	1150lm				
	Viewing angle	60°				
	Base	E27				
	Materials	aluminum+Glass				
	Dimension	121*140mm				
	Weight	550g				
ROE-PAR30-E27-5W	Power	5W	US\$5.09	US\$4.84	US\$4.58	if dimmable,1.5\$/ pcs more (220V)
	LEDs	5*1W				
	Voltage	AC85~265V				
	Lumen	400lm				
	Viewing angle	30°				
	Base	E27				
	Materials	aluminum+Piece lens				
	Dimension	95*100mm				
	Weight	300g				
ROE-PAR30-E27-7W	Power	7W	US\$6.00	US\$5.70	US\$5.40	if dimmable,2.5\$/ pcs more (220V)
	LEDs	7*1W				
	Voltage	AC85~265V				
	Lumen	560lm				
	Viewing angle	30°				
	Base	E27				
	Materials	aluminum+Piece lens				
	Dimension	95*100mm				
	Weight	310g				
ROE-PAR38-E27-9W	Power	9W	US\$8.85	US\$8.41	US\$7.97	if dimmable,2.5\$/ pcs more (220V)
	LEDs	9*1W				
	Voltage	AC85~265V				
	Lumen	750lm				
	Viewing angle	30°				
	Base	E27				
	Materials	aluminum+Piece lens				
	Dimension	121*128mm				
	Weight	500g				
ROE-PAR38-E27-12W	Power	12W	US\$10.50	US\$9.98	US\$9.45	Non-dimmable
	LEDs	12*1W				
	Voltage	AC85~265V				
	Lumen	1100lm				
	Viewing angle	30°				
	Base	E27				
	Materials	aluminum+Piece lens				
	Dimension	121*128mm				
	Weight	590g				

<div> <div>ROE-PAR38-E27-15W</div>  </div>	Power	15W	US\$11.30	US\$10.74	US\$10.17	Non-dimmable
	LEDs	15*1W				
	Voltage	AC85~265V				
	Lumen	1300lm				
	Viewing angle	30°				
	Base	E27				
	Materials	aluminum+Piece lens				
	Dimension	121*128mm				
	Weight	620g				
<div> <div>ROE-PAR30-16SMD-35W</div>  </div>	Power	35W	US\$20.00	US\$19.00	US\$18.00	Non-dimmable
	LEDs	Osram 16pcs				
	Voltage	AC85~265V				
	Lumen	1800-2300lm				
	Viewing angle	15°/25°/45°/80°				
	Base	E27/E26/B22				
	Materials	aluminum				
	Dimension	95*120mm				
	Weight	355g				

All above light have CE and ROHS certification,Chip Epistar ,Warm white:2700-3200K,Natural White:4000-4500K,Cool White:6000-6500K ,Ra:≥75,life span:≥50000h ,PF:≥0.8.

Quatation terms:  
1. sample time:1-3 days after I receive your sample charges(10% plus )  
2. production delivery date: 7-10days after confirming the sample  
3. payment terms:30% deposite , 70%balance before ship ( T/T,paypal, west union acceptable )  
4.2 years warranty. we will be responsible for repairing and replacing products when has quality problem.  
5.Price are available for one month.

