




	RAINBOW OPTO-ELECTRONIC CO.,LTD						
	TEL:86-20-37220827    FAX: 86-20-37221662    Contact person: Selena						
	Email:Lights2@rainbowlightings.com    Website:www.rainbowlightings.com						
	Add:NO.685 South of Baiyun Avenue,Baiyun District,Guangzhou,China						
NEW LED Spot light							
Style No.	Picture	Power (W)	Description	Price(USD)			REMARK
				<1 carton	1-10 cartons	≥10cartons	
ROE-SP501-3W		3W	1.LEDs: COB 3W 2.voltage: AC85-265V 3.Base:MR16/GU10/E27 4.Dimension:φ50*57mm 5.Materials: aluminum 6.Lumen:216lm ±10% 7.Beam angle:35/45/60 ° 8.PF>0.5,RA>70	US\$3.20	US\$2.75	US\$2.60	200pcs/carton
ROE-SP503-5W		5W	1.LEDs: COB 5W 2.voltage: AC85-265V 3.Base:MR16/GU10/E27 4.Dimension:φ50*57mm 5.Materials: aluminum 6.Lumen:360lm ±10% 7.Beam angle:35/45/60 ° 8.PF>0.5,RA>70	US\$3.50	US\$3.00	US\$2.89	200pcs/carton
ROE-SP505-3W		3W	1.LEDs: 3pcs SMD 2835 2.voltage: AC85-265V 3.Base:MR16/GU10/E27 4.Dimension:φ50*57mm 5.Materials: aluminum 6.Lumen:225lm ±10% 7.Beam angle:25/45 ° 8.PF>0.5,RA>70	US\$2.40	US\$2.10	US\$1.97	200pcs/carton
ROE-SP507-5W		5W	1.LEDs: 5pcs SMD 2835 2.voltage: AC85-265V 3.Base:MR16/GU10/E27 4.Dimension:φ50*57mm 5.Materials: aluminum 6.Lumen:375lm ±10% 7.Beam angle:25/45 ° 8.PF>0.5,RA>70	US\$2.54	US\$2.21	US\$2.11	200pcs/carton
ROE-SP509-7W		7W	1.LEDs: 7pcs SMD 2835 2.voltage: AC85-265V 3.Base:MR16/GU10/E27 4.Dimension:φ50*57mm 5.Materials: aluminum 6.Lumen:525lm ±10% 7.Beam angle:25/45 ° 8.PF>0.5,RA>70	US\$3.30	US\$2.92	US\$2.77	201pcs/carton
ROE-BL246E27-5W(A60)		5W	1.LEDs: 12D/2835 0.5w/pcs 2.Voltage: AC110/220V 3.Dimension: φ 60*110mm 4.Materials: alluminum+PVC 5.Lumen:380lm ±10% 6.Viewing angle:270° 7.Base:E27/B22 8.PF>0.9, RA>80	US\$2.30	US\$2.10	US\$2.00	116g
ROE-BL247E27-7W(A65)		7W	1.LEDs: 12D/2835 0.5w/pcs 2.Voltage: AC110/220V 3.Dimension: φ 65*125mm 4.Materials: alluminum+PVC 5.Lumen:530lm ±10% 6.Viewing angle:270° 7.Base:E27/B22 8.PF>0.9, RA>80	US\$2.50	US\$2.10	US\$2.00	152g

ROE-BL248E27-9W(A70)		9W	1.LEDs:24D/2835 0.5w/pcs 2.Voltage:AC110/220V 3.Dimension: $\phi$ 70*125mm 4.Materials: alluminum+PVC 5.Lumen:720lm $\pm$ 10% 6.Viewing angle:270° 7.Base:E27/B22 8.PF>0.9, RA>80	US\$3.30	US\$3.00	US\$2.80	166g
ROE-BL248BE27-12W(A70)		12W	1.LEDs:24D/2835 0.5w/pcs 2.Voltage:AC110/220V 3.Dimension: $\phi$ 70*125mm 4.Materials: alluminum+PVC 5.Lumen:960lm $\pm$ 10% 6.Viewing angle:270° 7.Base:E27/B22 8.PF>0.9, RA>80	US\$3.40	US\$3.20	US\$3.00	167g
R7S LED Light							
Style No.	Picture	Power(W)	Description	Price(USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	
ROE-R7S-78MM-5W(5730)		5W	1.LEDs:9pcs 5730 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*78mm 4.Materials:Alluminum+plastic 5.Lumen:380lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8.PF > 0.5, RA > 70	US\$2.88	US\$2.74	US\$2.59	80g
ROE-R7S-118MM-10W(5730)		10W	1.LEDs:24pcs 5730 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*118mm 4.Materials:Alluminum+plastic 5.Lumen:850lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8.PF > 0.5, RA > 70	US\$4.15	US\$3.94	US\$3.74	130g
ROE-R7S-189MM-15W(5730)		15W	1.LEDs:39pcs 5730 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*189mm 4.Materials:Alluminum+plastic 5.Lumen:1350lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8.PF > 0.5, RA > 70	US\$7.30	US\$6.94	US\$6.57	214g
ROE-R7S-78MM-5W(2835)		5W	1.LEDs:18pcs 2835 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*78mm 4.Materials:Alluminum+plastic 5.Lumen:380lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8. PF > 0.5, RA>80	US\$2.88	US\$2.74	US\$2.59	80g
ROE-R7S-118MM-10W(2835)		10W	1.LEDs:42pcs 2835 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*118mm 4.Materials:Alluminum+plastic 5.Lumen:850lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8. PF > 0.5, RA>80	US\$4.15	US\$3.94	US\$3.74	130g
ROE-R7S-135MM-12W(2835)		12W	1.LEDs:54pcs 2835 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*135mm 4.Materials:Alluminum+plastic 5.Lumen:1000lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8. PF > 0.9, RA>80	US\$5.60	US\$5.32	US\$5.04	

ROE-R7S-189MM-15W(2835)		15W	1.LEDs:78pcs 2835 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*189mm 4.Materials:Alluminum+plastic 5.Lumen:1350lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8.PF > 0.5,RA>80	US\$7.30	US\$6.94	US\$6.57	214g
ROE-R7SA78-5W		5W	1.LEDs:COB 5W 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*78mm 4.Materials:Alluminum+plastic 5.Lumen:300lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8.PF > 0.5,RA > 70	US\$4.43	US\$4.21	US\$3.99	80g
ROE-R7SA118-10W		10W	1.LEDs:COB 10W 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*118mm 4.Materials:Alluminum+plastic 5.Lumen:750lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8.PF > 0.5, RA > 70	US\$7.75	US\$7.36	US\$6.98	130g
ROE-R7SA189-15W		15W	1.LEDs:COB 15W 2.Voltage:AC85-265V 3.Dimension: $\phi$ 54*189mm 4.Materials:Alluminum+plastic 5.Lumen:1250lm $\pm$ 10% 6.Viewing angle:200° 7.Base:R7S 8.PF > 0.5, RA > 70	US\$12.84	US\$12.20	US\$11.56	220g

### G24 LED Horizontal Plug Light

Style No.	Picture	Power (W)	Description	Price(USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	
ROE-HLG24B-5W		5W	1.LEDs:24 pcs 2835 2.Voltage:AC85-265V 3.Dimension:35*35*120mm 4.Materials:Alluminum+PVC 5.Lumen:380lm $\pm$ 10% 6.Viewing angle:120° 7.Base:G24/E27 8.PF>0.5,RA>80	US\$3.54	US\$3.36	US\$3.19	95g
ROE-HLG24B-7W		7W	1.LEDs:36 pcs 2835 2.Voltage:AC85-265V 3.Dimension:35*35*140mm 4.Materials:Alluminum+PVC 5.Lumen:600lm $\pm$ 10% 6.Viewing angle:120° 7.Base:G24/E27 8.PF>0.5,RA>80	US\$4.87	US\$4.63	US\$4.38	105g
ROE-HLG24B-9W		9W	1.LEDs:40 pcs 2835 2.Voltage:AC85-265V 3.Dimension:35*35*160mm 4.Materials:Alluminum+PVC 5.Lumen:780lm $\pm$ 10% 6.Viewing angle:120° 7.Base:G24/E27 8.PF>0.5,RA>80	US\$5.10	US\$4.85	US\$4.59	120g
ROE-HLG24B-12W		12W	1.LEDs:60 pcs 2835 2.Voltage:AC85-265V 3.Dimension:35*35*190mm 4.Materials:Alluminum+PVC 5.Lumen:1100lm $\pm$ 10% 6.Viewing angle:120° 7.Base:G24/E27 8.PF>0.5,RA>80	US\$6.90	US\$6.56	US\$6.21	145g

### LED Corn Light Series

Style No.	Picture	Power (W)	Description	Price(USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	

ROE-CR209E27-12W(2835)		12W	1.LEDs:84pcs 2835 2.Voltage:AC85-265V 3.Dimension: $\varnothing$ 80.5*213mm 4.Materials:Alluminum+PC 5.Lumen:1150lm $\pm$ 10% 6.Viewing angle:360° 7.Base:E27 8.Transparent or milky cover 9.PF>0.9,RA>80	US\$9.17	US\$8.71	US\$8.25	480g
ROE-CR210E27-15W(2835)		15W	1.LEDs:105pcs 2835 2.Voltage:AC85-265V 3.Dimension: $\varnothing$ 80.5*233mm 4.Materials:Alluminum+PC 5.Lumen:1400lm $\pm$ 10% 6.Viewing angle:360° 7.Base:E27 8.Transparent or milky cover 9.PF>0.9,RA>80	US\$11.00	US\$10.45	US\$9.90	520g
ROE-CR211E27-20W(2835)		20W	1.LEDs:126pcs 2835 2.Voltage:AC85-265V 3.Dimension: $\varnothing$ 80.5*253mm 4.Materials:Alluminum+PC 5.Lumen:2000lm $\pm$ 10% 6.Viewing angle:360° 7.Base:E27 8.Transparent or milky cover 9.PF>0.9,RA>80	US\$12.00	US\$11.40	US\$10.80	550g
ROE-CR215E27-5W		5W	1.LEDs: 30pcs SMD2835 2.Voltage:AC85-265V 3.Base: E27/E14/B22 4.Lumen: 400lm $\pm$ 10% 5.Size: $\varnothing$ 32*102mm 6.Materials: plastic 7.Viewing angle: 360° 8.PF>0.5, RA>80	US\$3.32	US\$3.15	US\$2.99	70g
ROE-CR216E27-7W		7W	1.LEDs: 42pcs SMD2835 2.Voltage:AC85-265V 3.Base: E27/E14/B22 4.Lumen: 650lm $\pm$ 10% 5.Size: $\varnothing$ 35*105mm 6.Materials: plastic 7.Viewing angle: 360° 8.PF>0.5, RA>80	US\$4.43	US\$4.21	US\$3.99	90g
ROE-CR217E27-9W		9W	1.LEDs: 64pcs SMD2835 2.Voltage:AC85-265V 3.Base: E27/E14/B22 4.Lumen: 850lm $\pm$ 10% 5.Size: $\varnothing$ 50*125mm 6.Materials: plastic 7.Viewing angle: 360° 8.PF>0.9, RA>80	US\$5.57	US\$5.29	US\$5.01	110g
ROE-CR221E27-12W		12W	1.LEDs: 84pcs SMD2835 2.Voltage:AC85-265V 3.Base: E27/E14/B22 4.Lumen: 1150lm $\pm$ 10% 5.Size: $\varnothing$ 71*150mm 6.Materials: plastic 7.Viewing angle: 360° 8.PF>0.9, RA>80	US\$7.30	US\$6.94	US\$6.57	140g
ROE-CR222E27-15W		15W	1.LEDs: 98pcs SMD2835 2.Voltage:AC85-265V 3.Base: E27/E14/B22 4.Lumen: 1350lm $\pm$ 10% 5.Size: $\varnothing$ 71*150mm 6.Materials: plastic 7.Viewing angle: 360° 8.PF>0.9, RA>80	US\$7.97	US\$7.57	US\$7.17	150g
ROE-CR223E27-20W		20W	1.LEDs: 118pcs SMD2835 2.Voltage:AC85-265V 3.Base: E27/E14/B22 4.Lumen: 2000lm $\pm$ 10% 5.Size: $\varnothing$ 63*204mm 6.Materials: plastic 7.Viewing angle: 360° 8.PF>0.9, RA>80	US\$8.50	US\$8.08	US\$7.65	320g


Retrofit LED Ceiling Light							
Style No.	Picture	Power (W)	Description	Price(USD)			REMARK
				5-100pcs	100-300pcs	>300pcs	
ROE-XDD100-5W		5W	1.LEDs:10pcs 5730 2.voltage:AC85-265V 3.Dimension: $\varnothing$ 90mm 4.Lumen:450lm $\pm$ 10% 5.Beam angle:180° 6.Cover:alluminum 7.PF> 0.5,RA>70	US\$2.50			100g
ROE-XDD101-9W		9W	1.LEDs:18pcs 5730 2.voltage:AC85-265V 3.Dimension: $\varnothing$ 140mm 4.Lumen:850lm $\pm$ 10% 5.Beam angle:180° 6.Cover:alluminum 7.PF> 0.9,RA>70	US\$3.80			140g
ROE-XDD102-12W		12W	1.LEDs:24pcs 5730 2.voltage:AC85-265V 3.Dimension: $\varnothing$ 190mm 4.Lumen:1100lm $\pm$ 10% 5.Beam angle:180° 6.Cover:alluminum 7.PF> 0.9,RA>70	US\$5.90			195g
ROE-XDD103-15W		15W	1.LEDs:30pcs 5730 2.voltage:AC85-265V 3.Dimension: $\varnothing$ 250mm 4.Lumen:1300lm $\pm$ 10% 5.Beam angle:180° 6.Cover:alluminum 7.PF> 0.9,RA>70	US\$7.40			280g
ROE-XDD104-14W		5W+9W	1.LEDs:28pcs 5730 2.voltage:AC85-265V 3.Dimension: $\varnothing$ 140mm 4.Lumen:1300lm $\pm$ 10% 5.Beam angle:180° 6.Cover:alluminum 7.PF> 0.9,RA>70	US\$6.20			240g
ROE-XDD105-17W		5W+12W	1.LEDs:34pcs 5730 2.voltage:AC85-265V 3.Dimension: $\varnothing$ 190mm 4.Lumen:1550lm $\pm$ 10% 5.Beam angle:180° 6.Cover:alluminum 7.PF> 0.9,RA>70	US\$7.88			
ROE-XDD106-20W		5W+15W	1.LEDs:40pcs 5730 2.voltage:AC85-265V 3.Dimension: $\varnothing$ 250mm 4.Lumen:1750lm $\pm$ 10% 5.Beam angle:180° 6.Cover:alluminum 7.PF> 0.9,RA>70	US\$9.20			
LED Tube Lights							
1). T8 2835 SMD LED tube light-----Non-Isolated Driver, <b>EMC Passed</b>							
Style No.	Picture	Power (W)	Description	PRICE (USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	
ROE-T8108-600-10W		10W	1.LEDs:72 PCS SMD 2835 2.Dimension: $\varnothing$ 26*603mm 3.Voltage:85-265V AC 4.Lumen:900lm $\pm$ 10% 5.Viewing angle:180° 6.PF> 0.9, RA>80	\$5.50	\$5.23	\$4.95	275.2g

ROE-T8109-900-14W		14W	1.LEDs:120 PCS SMD 2835 2.Dimension:φ26*909 3.Voltage:85-265V AC 4.Lumen:1300lm ±10% 5.Viewing angle:180° 6.PF>0.9, RA>80	\$7.34	\$6.97	\$6.61	411.4g
ROE-T8110-1200-20W		20W	1.LEDs:154 PCS SMD 2835 2.Dimension:φ26*1213 3.Voltage:85-265V AC 4.Lumen:1800lm ±10% 5.Viewing angle:180° 6.PF>0.9, RA>80	\$7.30			490.2g
ROE-T8111-1500-24W		24W	1.LEDs:207 PCS SMD 2835 2.Dimension:φ26*1513 3.Voltage:85-265V AC 4.Lumen:2200lm ±10% 5.Viewing angle:180° 6.PF>0.9, RA>80	\$12.00	\$11.40	\$10.80	685.2g

## 2). T8 2835 SMD LED tube light-----Non-Isolated Driver, **not EMC passed**

Style No.	Picture	Power (W)	Description	PRICE (USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	
ROE-T8108B-600-10W		10W	1.LEDs:60 PCS SMD 2835 2.Dimension:φ26*603mm 3.Voltage:85-265V AC 4.Lumen:850lm ±10% 5.Viewing angle:180° 6.PF>0.9, RA>80 WW/NW/CW	\$4.92	\$4.67	\$4.43	275.2g
ROE-T8109B-900-14W		14W	1.LEDs:88 PCS SMD 2835 2.Dimension:φ26*909 3.Voltage:85-265V AC 4.Lumen:1200lm ±10% 5.Viewing angle:180° 6.PF>0.9, RA>80 WW/NW/CW	\$5.70	\$5.42	\$5.13	411.4g
ROE-T8110B-1200-18W		18W	1.LEDs:120 PCS SMD 2835 2.Dimension:φ26*1213 3.Voltage:85-265V AC 4.Lumen:1600lm ±10% 5.Viewing angle:180° 6.PF>0.9, RA>80 WW/NW/CW	\$6.89	\$6.55	\$6.20	490.2g
ROE-T8111B-1500-22W		22W	1.LEDs:154 PCS SMD 2835 2.Dimension:φ26*1513 3.Voltage:85-265V AC 4.Lumen:2000lm ±10% 5.Viewing angle:180° 6.PF>0.9, RA>80 WW/NW/CW	\$8.46	\$8.04	\$7.61	685.2g

## G9 LED Light

Style No.	Picture	Power (W)	Description	Price(USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	
ROE-117G9-2W(2835)		2W	1.LEDs:6 pcs 2835 ,Bridgelux 2.Voltage: <b>230V</b> 3.Dimension:φ20*58.5mm 4.Materials: alminum 5.Lumen:160lm ±10% 6.Viewing angle:360° 7.Base:G9 8.PF>0.4, RA>80	US\$2.60			18g



ROE-108E14-3W(3014)		2.2W	1.LEDs:64 pcs 3014 2.Voltage:AC200-240V AC100-130V 3.Dimension: $\varnothing$ 16*53mm 4.Materials: Silica gel 5.Lumen:200lm $\pm$ 10% 6.Viewing angle:360° 7.Base:E14/G9 8.PF>0.3,RA>70	US\$2.00	US\$1.90	US\$1.80	20g
ROE-108G9B-3W(2835)		2.2W	1.LEDs:32 pcs 2835 2.Voltage:AC200-240V AC100-130V 3.Dimension: $\varnothing$ 16*51mm 4.Materials: Silica gel 5.Lumen:200lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G9 PF>0.3, RA>80	US\$2.00	US\$1.90	US\$1.80	20g
ROE-118G9-6W		3W	1.LEDs:104 pcs 3014 2.Voltage:AC220V 3.Dimension: $\varnothing$ 16*62mm 4.Materials: Silica gel 5.Lumen:300lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G9 8. PF>0.5,RA>70	US\$2.80	US\$2.66	US\$2.52	25g
ROE-119G9-3W		3W	1.LEDs:70 pcs 3014 2.Voltage:AC220V/AC110V 3.Dimension: $\varnothing$ 15*60mm 4.Materials: PVC, <b>Dimming</b> 5.Lumen:200lm $\pm$ 10% 6.Viewing angle:360° 7.Base:E14/G9 8.PF>0.9,RA>70	US\$2.80	US\$2.66	US\$2.52	25g

### G4 LED Light

Style No.	Picture	Power (W)	Description	Price(USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	
ROE-G4118-2W		2W	1.LEDs: 48pcs 3014 2.Voltage:AC/DC12V,no electronic rectifier 3.Dimension: $\varnothing$ 12*36mm 4.Materials: Epoxy resin glue 5.Lumen:150lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G4 RA>70	US\$1.90	US\$1.81	US\$1.71	9g
ROE-G4121-3W (3014)		2.2W	1.LEDs:64 pcs 3014 2.Voltage:AC200-240V AC100-130V 3.Dimension: $\varnothing$ 16*44mm 4.Materials: Epoxy resin glue 5.Lumen:250lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G4 WW/NW/W 8. PF>0.3, RA>70	US\$2.00	US\$1.90	US\$1.80	15g
ROE-G4121-3W (2835)		2.2W	1.LEDs:32 pcs 2835 2.Voltage:AC200-240V AC100-130V 3.Dimension: $\varnothing$ 16*44mm 4.Materials: Epoxy resin glue 5.Lumen:200lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G4 8. PF>0.3, RA>80	US\$2.00	US\$1.90	US\$1.80	15g
ROE-G4122-3W		2.2W	1.LEDs:32 pcs 2835 2.Voltage:AC&DC12V 3.Dimension: $\varnothing$ 16*44mm 4.Materials: Epoxy resin glue 5.Lumen:200lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G4 RA>80	US\$2.00	US\$1.90	US\$1.80	15g

ROE-G4114-4.5W		3W	1.LEDs:3 pcs COB 2.Voltage:DC12V 3.Dimension: $\varnothing$ 16*48mm 4.Materials:Alluminum 5.Lumen:200lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G4 RA>70	US\$2.80	US\$2.66	US\$2.52	21g
ROE-G4115-6W		3W	1.LEDs:4 pcs COB 2.Voltage: DC12V 3.Dimension: $\varnothing$ 16*48mm 4.Materials:Alluminum 5.Lumen:200lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G4 WW/W/NW	US\$3.10	US\$2.95	US\$2.79	21g
ROE-G4117-1.5W		1W	1.LEDs: 24pcs 3014 2.Voltage:AC/DC12V,no electronic rectifier 3.Dimension: $\varnothing$ 10*36mm 4.Materials: Epoxy resin glue 5.Lumen:90lm $\pm$ 10% 6.Viewing angle:360° 7.Base:G4	US\$1.34	US\$1.27	US\$1.21	7g
ROE-G4116-1.5W		1.5W	1.LEDs:1 pcs CREE 2.Voltage:AC/DC12V,no electronic rectifier 3.Dimension: $\varnothing$ 10*33mm 4.Materials:Alluminum 5.Lumen:50lm $\pm$ 10% 6.Viewing angle:120° 7.Base:G4	US\$2.23	US\$2.12	US\$2.01	2g

### New Production-Air Purify Light

Style No.	Picture	Power (W)	Description	Price(USD)			REMARK
				21-300pcs	300-2000pcs	>2000pcs	
ROE-AL100E27A-3W (blue) ROE-AL100E27B-3W (white) ROE-AL100E27C-3W (black)		3W	1.LEDs: 6pcs 5730 2.voltage:AC100-240V 3.base:E27 4.Materials:Alluminum+PC 5.anion output:3mil/cc 6.size: $\varnothing$ 60*112mm 7.lumen:250lm $\pm$ 10% 8. PF>0.5, RA>70	US\$4.88	US\$4.64	US\$4.39	190g
ROE-AL101E27A-5W (blue) ROE-AL101E27B-5W (white) ROE-AL101E27C-5W (black)		5W	1.LEDs: 10pcs 5730 2.voltage:AC100-240V 3.base:E27 4.Materials:Alluminum+PC 5.anion output:3mil/cc 6.size: $\varnothing$ 60*112mm 7.lumen:380lm $\pm$ 10% 8.PF>0.5, RA>70	US\$4.95	US\$4.70	US\$4.46	190g
ROE-AL102E27A-3W (blue) ROE-AL102E27B-3W (white) ROE-AL102E27C-3W (black) with remote controller		3W	1.LEDs: 15pcs 2835 2.voltage:AC100-240V 3.base:E27 4.Materials:Alluminum+PC 5.anion output:3mil/cc 6.size: $\varnothing$ 60*112mm 7.lumen:280lm $\pm$ 10% 8. PF>0.5, RA>80	US\$7.08	US\$6.73	US\$6.37	
ROE-AL103E27A-5W (blue) ROE-AL103E27B-5W (white) ROE-AL103E27C-5W (black) with remote controller		5W	1.LEDs: 25pcs 2835 2.voltage:AC100-240V 3.base:E27 4.Materials:Alluminum+PC 5.anion output:3mil/cc 6.size: $\varnothing$ 60*112mm 7.lumen:420lm $\pm$ 10% 8.PF>0.5, RA>80	US\$7.15	US\$6.79	US\$6.44	

#### Order detail:

1. sample time:7 days after I receive your sample charges(30% plus )
2. production delivery date: 7-10days after confirming the sample
3. payment terms:30% deposite , 70%balance before ship (T/T,paypal, west union acceptable)
4. Most products are 2 years warranty, except for some accessories, like power, controller, tube fixtures and sockets. These accessories are 1 year warranty. we will be responsible for repairing and replacing products when has quality problem.
5. The heat dissipation of led lights is very important, pls make sure the light have good heat dissipation while you use.
6. Warranty:24Month,Customer pay shipping cost for warranty products.We replace parts of light if products don's have bulk problem