
















LED Product Catalogue

LED Tube Light






























 <p>RS-TL10S10-60M T10 11W 850lm Material: Milky + Aluminum tube Equal to : 18W CFL Dimension: L594mm ϕ 30mm AC85-265V/DC12V/24V 50-60HZ</p>	 <p>RS-TL10S16-96M T10 16W 1400lm Material: Milky + Aluminum tube Equal to : 30W CFL Dimension: L908mm ϕ 30mm AC85-265V / DC12V / 24V</p>	 <p>RS-TL10S21-120M T10 21W 1680lm Material: Milky + Aluminum tube Equal to : 36W CFL Dimension: L1212mm ϕ 30mm AC85-265V / DC12V / 24V</p>	 <p>RS-TL08S16-276 T8 16.5W 1450lm Material: Aluminum tube Equal to : 36W CFL Dimension: L1213mm ϕ 26mm DC12V 50-60HZ</p>	 <p>RS-TL10S25-144M T10 25W 1950lm Material: Aluminum tube Equal to : 58W CFL Dimension: L1513mm ϕ 30mm AC85-265V 50-60HZ</p>
 <p>RS-TL08S09-60 T8 9W 850lm Material: PC +aluminum tube Equal to : 18W CFL Dimension: L603mm ϕ 28mm AC 85-265V 50-60HZ</p>	 <p>RS-TL08S13-96 T8 13W 1300lm Material: PC +aluminum tube Equal to : 30W CFL Dimension: L908mm ϕ 28mm AC85-265V 50-60HZ</p>	 <p>RS-TL08S18-120 T8 18W 1650lm Material: PC +aluminum tube Equal to : 36W CFL Dimension: L1213mm ϕ 28mm AC85-265V 50-60HZ</p>	 <p>RS-TL08S23-144 T8 23W 1900lm Material: PC +aluminum tube Equal to : 58W CFL Dimension: L1513mm ϕ 28mm AC85-265V 50-60HZ</p>	 <p>RS-TL08S09-84 UL Standard T8 9W 700lm Material: PC +aluminum tube Equal to : 18W CFL Dimension: L603mm ϕ 26mm AC85-265V 50-60HZ</p>
 <p>RS-TL08S18-168 UL Standard T8 18W 1480 lm Material: PC +aluminum tube Equal to : 36W CFL Dimension: L1213mm ϕ 26mm AC 85-265V 50-60HZ</p>	 <p>RS-TL05S13-220 T5 13W 1150lm Material: PC Equal to : 36W CFL Dimension: L570 * W23 * H36mm AC85-140V / AC185-265V</p>	 <p>RS-TL05S06-105 T5 6.5W 550lm Material: PC Equal to : 18W CFL Dimension: L1170 * W23 * H36mm AC85-140V / AC185-265V</p>	 <p>RS-TL10S25-440 (Double-sided emitting) T10 25W 2500lm Material: PC Equal to : 18W CFL Dimension: L1213mm ϕ 30mm AC110-130V / AC 200-260V</p>	 <p>RS-TL05S06-105 T5 6.5W 550lm Material: PC Equal to : 18W CFL Dimension: L1170 * W23 * H36mm AC85-140V / AC185-265V</p>

LED Spotlight

 <p>RS-SL03W-03D3-MR16 3W 260 lm AC/DC12V/24V 50-60HZ MR16</p>	 <p>RS-SL04W-D03D3-GU10 3W 260 lm AC85-265V 50-60HZ GU10 / E27 (Dimming function)</p>	 <p>RS-SL05W-04D-MR16 4W 320 lm AC/DC12V/24V 50-60HZ MR16</p>	 <p>RS-SL05W-04DH-GU10 4W 320 lm AC85-265V 50-60HZ GU10/E27 (SDXL heat sink)</p>	 <p>RS-SL05W-01D-MR16 5W 300 lm AC/DC12V 50-60HZ MR16</p>
 <p>RS-SL06W-05D-E27 5W 345lm AC85-265V50-60HZ E27</p>	 <p>RS-SL06W-D05D-E27 5W 320lm AC85-265V 50-60HZ E27/GU10/E14 (Dimming function)</p>	 <p>RS-SL04WL-03D3-MR16 3W 220 lm AC/DC12V/24V 50-60HZ MR16</p>	 <p>RS-SL04WL-D03D3-GU10 3W 220 lm AC85-265V 50-60HZ GU10 / E27</p>	 <p>RS-SL05WL-04D-MR16 4W 300 lm AC/DC12V/24V 50-60HZ MR16 (SDXL)</p>
 <p>RS-SL08W-07DL-PAR30 Par30 7W 500Lm AC85-265V 50-60HZ View angle: 140° Wide-angle</p>	 <p>RS-SL13W-12D-PAR38 Par38 12W 980lm AC85-265V 50-60HZ View angle: 30° (5°/15°/45°/ 60°)</p>	 <p>RS-SL17W-15D-PAR38 Par38 15W 1285lm AC85-265V 50-60HZ E27</p>	 <p>RS-SL05W-AR111 5*1W AR111 AC85-265V 50-60HZ E27 / Gu10</p>	 <p>RS-SL05W*2-AR111 5*2W AR111 AC85-265V 50-60HZ E27 / Gu10</p>

 <p>RS-SL05W*3-AR111 5*3W AR111 AC/D12V 50-60HZ G53</p>	 <p>RS-SL06W-AR111 6*1W AR111 AC85~265V 50-60HZ E27 / Gu10</p>	 <p>RS-SL06W*2-AR111 6*2W AR111 AC85~265V 50-60HZ E27 / Gu10</p>	 <p>RS-SL07W-AR111 7*1W AR111 AC85~265V 50-60HZ E27 / Gu10</p>	 <p>RS-SL07*2W-AR111 7*1W AR111 AC85~265V 50-60HZ E27 / Gu10</p>
 <p>RS-SL09W-AR111 9*1W AR111 AC/D12V 50-60HZ G53</p>	 <p>RS-SL09W-07D-GR 7W Track Light 550lm Aluminum Alloy AC85~265V 50-60HZ</p>	 <p>RS-SL11W-09D-GR 9W Track Light 710lm Aluminum Alloy AC85~265V 50-60HZ</p>	 <p>RS-SL14W-12D-GR 12W Track Light 980lm Aluminum Alloy AC85~265V 50-60HZ</p>	 <p>RS-SL18W-12D-GR 18W Track Light 1300lm Aluminum Alloy AC85~265V 50-60HZ</p>
LED Global Bulb Light				
 <p>RS-BL04WL-01D 3W 160lm AC85~265V 50-60HZ E27/E14/GU10/MR16</p>	 <p>RS-BL07WL-05D 5W 350lm AC85~265V 50-60HZ E27/E26/B22</p>	 <p>RS-BL04W-03D2-50 3W 295lm AC85~265V 50-60HZ E27/E14/B22/E26</p>	 <p>RS-BL08WL-06D-60 6W 560lm AC85~265V 50-60HZ E27/E14/E26/B22</p>	 <p>RS-BL03W-01D-35140 3W 200lm AC85~265V 50-60HZ E14 / E27</p>
 <p>RS-BL04WD-03DW-60 4W 260lm AC85~265V 50-60HZ Base: E27/E14(Dimming function)</p>	 <p>RS-BL04W-03D-60 4W 260lm AC85~265V 50-60HZ E27/E26/B22/E14</p>	 <p>RS-BL04W-03D-45 4W 260lm AC85~265V 50-60HZ E27/E26/B22/E14</p>	 <p>RS-BL07W-05D-60 7W 420lm AC85~265V 50-60HZ E27/E14/B22/E26</p>	 <p>RS-BL08W-06D-70 8W 500lm AC85~265V 50-60HZ E27/E14/B22/E26</p>
 <p>RS-BL06W-C05-60 5W 400lm AC85~265V 50-60HZ E27 Ceramic body</p>	 <p>RS-BL10W-84D-65 8W 800lm AC85~265V 50-60HZ E27</p>	 <p>RS-BL11W-09D 9W 800lm AC85~265V 50-60HZ E27/E26</p>	 <p>RS-BL03W-01D-35140 3W 210lm AC85~265V 50-60HZ E14 / E27</p>	
LED Downlight				
 <p>RS-DL04W-03D-2 PMMA Lens +Al Body 3W 230lm AC85~265V 50-60HZ</p>	 <p>RS-DL04W-03D-3 PMMA Lens +Al Body 3W 230lm AC85~265V 50-60HZ</p>	 <p>RS-DL04W-03D-4 Glass Lens +Al Body 3W 200lm AC85~265V 50-60HZ</p>	 <p>RS-DL07W-05D-2 Glass Lens +Al Body 5W 380lm AC85~265V 50-60HZ</p>	 <p>RS-DL12W-09D-2 Glass Lens +Al Body 9W 620lm AC85~265V 50-60HZ</p>
 <p>RS-DL12W-09D-3 Glass Lens +Al Body 9W 620lm AC85~265V 50-60HZ</p>	 <p>RS-DL03W1-03D(G/S) PMMA Lens +Al Body 3W 240lm AC85~265V 50-60HZ</p>	 <p>RS-DL08W1-07D(G/S) PMMA Lens +Al Body 7W 500lm AC85~265V 50-60HZ</p>	 <p>RS-DL14W1-12D(G/S) PMMA Lens +Al Body 12W 1000lm AC85~265V 50-60HZ</p>	 <p>RS-DL18W1-15D(G/S) PMMA Lens +Al Body 15W 1200lm AC85~265V 50-60HZ</p>

 <p>RS-DL06W1-05DW PMMA Lens +Al Body 5W 220lm AC85-265V 50-60HZ</p>	 <p>RS-DL12W1-09DW PMMA Lens +Al Body 9W 510lm AC85-265V 50-60HZ</p>	 <p>RS-DL03WL-03D PMMA Lens +Al body 3W 260lm AC85-265V 50-60HZ</p>	 <p>RS-DL05WL-04D PMMA Lens +Al body 4W 350lm AC85-265V 50-60HZ</p>	 <p>RS-DL05WL-05D PMMA Lens +Al body 5W 430lm AC85-265V 50-60HZ</p>
 <p>RS-DL07WL-07D PMMA Lens +Al Body 7W 580lm AC85-265V 50-60HZ</p>	 <p>RS-DL09WL-09D PMMA Lens +Al Body 9W 800lm AC85-265V 50-60HZ</p>	 <p>RS-DL12WL-12D PMMA Lens +Al body 12W 1100lm AC85-265V 50-60HZ</p>	 <p>RS-DL15WL-15D PMMA Lens +Al body 15W 1300lm AC85-265V 50-60HZ</p>	 <p>RS-DL18WL-18D PMMA Lens +Al body 18W 1500lm AC85-265V 50-60HZ</p>
 <p>RS-DL09WD-09*1D PMMA Lens +Al Body 9W 800lm AC85-265V 50-60HZ</p>	 <p>RS-DL18WD-09*2D PMMA Lens +Al Body 2*9W 1550lm AC85-265V 50-60HZ</p>	 <p>RS-DL27WD-09*3D PMMA Lens +Al body 3*9W 2200lm AC85-265V 50-60HZ</p>	 <p>RS-DL36WD-09*4D PMMA Lens +Al body 4*9W 2800lm AC85-265V 50-60HZ</p>	
New Design LED Downlight				
 <p>RS-DL06W-05D-4 PMMA Lens +Al Body 5W 400lm AC85-265V 50-60HZ</p>	 <p>RS-DL05W-05D-5 PMMA Lens +Al Body 5W 400lm AC85-265V 50-60HZ</p>	 <p>RS-DL13W-12D-2 PMMA Lens +Al body 12W 1000lm AC85-265V 50-60HZ</p>	 <p>RS-DL11W-09D-5 Al Alloy 9W 800lm AC85-265V 50-60HZ</p>	 <p>RS-DL13W-12D-3 PMMA Lens +Al body 12W 1000lm AC85-265V 50-60HZ</p>
 <p>RS-DL16W-15D-2 PMMA Lens +Al Body 15W 1300lm AC85-265V 50-60HZ</p>	 <p>RS-DL16W-15D-3 Al Alloy 15W 1300lm AC85-265V 50-60HZ</p>	 <p>RS-DL06W-4D-2-W PMMA Lens+Plated Burger Body 4W 322m AC85-265V View angle: 90°</p>	 <p>RS-DL11W-9D-4-W PMMA Lens+Plated Burger Body 9W 572lm AC85-265V View angle: 90°</p>	 <p>RS-DL18W-16D-W PMMA Lens+Plated Burger Body 16W 943lm AC85-265V View angle: 90°</p>
 <p>RS-DL18W-16D-S PMMA Lens+Plated Burger Body 16W 943lm AC85-265V View angle: 90°</p>	 <p>RS-DL30W-25D-W PMMA Lens+Plated Burger Body 25W 1450lm AC85-265V View angle: 90°</p>	 <p>RS-DL14W-120D PMMA Lens+Plated Burger Body 14W 1450lm AC85-265V View angle: 90°</p>		
LED Panel Lamp				
 <p>RS-CL18W-0303 18W 2000lm 300mm X 300mm X 13mm DC24V AC100-240V 50-60HZ</p>	 <p>RS-CL20W-0606 38W 2000lm 600mm X 600mm X 13mm DC24V AC100-240V 50-60HZ</p>	 <p>RS-CL10W-D180 10W 550lm D180mm X H19mm DC24V AC100-240V 50-60HZ</p>	 <p>RS-CL09W-0603 38W 2000lm 600mm X 300mm X 13mm DC24V AC100-240V 50-60HZ</p>	 <p>RS-CL38W-12003 38W 2000lm 1200mmx300mmx13mm DC24V AC100-240V 50-60HZ</p>

 <p>RS-CL76W-12003 76W 3800 lm 1200mm X 300mm X 13mm DC12C AC100-240V 50-60HZ</p>				
LED Flexible Strip				
 <p>SMD3528-Nonwaterproof 60led/m Power:4.8W W/R/Y/G/B/WW/E/P DC12V/24V</p>	 <p>SMD3528-IP65 60led/m Power:4.8W W/R/Y/G/B/WW/E/P DC12V/24V</p>	 <p>SMD3528-IP68 60led/m Power:4.8W W/R/Y/G/B/WW/E/P DC12V/24V</p>	 <p>SMD5050-Nonwaterproof 60led/m Power:14.4W W/R/Y/G/B/RGB/WW/E/P DC12V/24V</p>	 <p>SMD5050-IP65 60led/m Power:14.4W W/R/Y/G/B/RGB/WW/E/P DC12V/24V</p>
 <p>SMD5050-IP68 60led/m Power:14.4W W/R/Y/G/B/RGB/WW/E/P DC12V/24V</p>	 <p>SMD5050-Nonwaterproof 30led/m Power:7.2W W/R/Y/G/B/RGB/WW/E/P DC12V/24V</p>	 <p>SMD5050-IP65 30led/m Power:7.2W W/R/Y/G/B/RGB/WW/E/P DC12V/24V</p>	 <p>SMD5050-IP68 30led/m Power:7.2W W/R/Y/G/B/RGB/WW/E/P DC12V/24V</p>	 <p>SMD3528-Nonwaterproof 120led/m Power:9.6W W/R/Y/G/B/WW/E/P DC12V/24V</p>
 <p>SMD3528-IP65 120led/m Power:9.6W W/R/Y/G/B/WW/E/P DC12V/24V</p>	 <p>SMD3528-IP68 120led/m Power:9.6W W/R/Y/G/B/WW/E/P DC12V/24V</p>	 <p>SMD3010-IP68 60led/m Power:4.8W W/R/Y/G/B/WW DC12V/24V</p>		
LED High Bay Light				
 <p>RS-ILL030(S/L) 30W 2380lm Beam angle: S:130° / L:170° Work frequency: 47-63Hz Input Voltage: AC100-300V</p>	 <p>RS-ILL050(S/L) 50W 4250lm Beam angle: S:130° / L:170° Work frequency: 47-63Hz Input Voltage: AC100-300V</p>	 <p>RS-ILL080(S/L) 80W 6800lm Beam angle: S:130° / L:170° Work frequency: 47-63Hz Input Voltage: AC100-300V</p>	 <p>RS-ILL100(S/L) 100W 8500lm Beam angle: S:130° / L:170° Work frequency: 47-63Hz Input Voltage: AC100-300V</p>	 <p>RoHS LED LIGHTING</p>
LED Table Light				
 <p>RS-TLRW-590 Material: Resin 3W 200lm H590 * 370mm AC85-265V Body Color: Black</p>	 <p>RS-TLRW-750 Material: Resin 7W 580lm H750 * 450mm AC85-265V Body Color: Black / White</p>	 <p>RS-TLRB-670 Material: Resin + Ceramic 7W 580lm H670 * 410mm AC85-265V Body Color: Black / White</p>	 <p>RS-TLAR-850 Material: Aluminum 4.5W 300lm H850 * 500mm AC85-265V Body Color: Red/Golden/ Black</p>	 <p>RS-TLRG-750 Material: Resin 7W 580lm H750 * 385mm AC85-265V Body Color: Plated Sugar</p>

 <p>RS-TLRW-400 Material: Resin / Aluminum 5W 400lm H400 * 430mm AC85-265V Body Color: Black / White</p>	 <p>RS-TLRW-400 Material: Resin / Aluminum 5W 400lm H400 * 430mm AC85-265V Body Color: Black / White</p>	 <p>RS-TLRW-750 Material: Stainless Steel 6W 500lm H520 * 210mm AC85-265V Body Color: Black / White / Red</p>	 <p>RS-TLRW-750 Material: Stainless Steel 6W 500lm H520 * 210mm AC85-265V Body Color: Black / White / Red</p>	 <p>RS-TLRG-750 Material: Resin 7W 580lm H750 * 385mm AC85-265V Body Color: Plated Sugar</p>
LED SMD Corn light & Glass Spotlight				
 <p>RS-PD64RB-T42E27-230SMD 3.0-3.2W 64pcs smd3528 220lm AC110V / 230V E27/E14/E26/B22</p>	 <p>RS-PD60W-C42E14-SMD 2.7-3.3W 60pcs smd3528 260lm AC110V / 230V E27/E14/E26/B22</p>	 <p>RS-PD90W-T50E27-SMD 4.0-4.6W 90pcs smd3528 400lm AC110V / 230V E27</p>	 <p>PL3-L120WG24-230B 3W 30pcs smd3528 260lm AC110V / 230V G24/ E27/ E26/ B22</p>	 <p>PL5-L140WE27-230 5W 60pcs smd3528 480lm AC110V / 230V G24/ E27/ E26/ B22</p>
 <p>RS-BD42-PAR16E27-Y5 2.1W 42pcs DIP led 220lm AC110V / 230V E27/E26/E14/GU10</p>	 <p>RS-BD42-PAR16MR16-Y5 2.1W 42pcs DIP led 220lm AC/DC12V E27/E26/E14/GU10</p>	 <p>RS-BD60-PAR16E27-Y3 2.2W 60pcs DIP led 190lm AC110V / 230V E27/E26/E14/GU10</p>	 <p>RS-BD60-PAR16E14-Y3 2.2W 60pcs DIP led 190lm AC110V / 230V E27/E26/E14/GU10</p>	 <p>RS-BD60-PAR16GU10-Y3 2.2W 60pcs DIP led 190lm AC110V / 230V E27/E26/E14/GU10</p>
 <p>RS-BD60-PAR16MR16-Y3 2.2W 60pcs DIP led 190lm AC/DC12V</p>	 <p>BD66-PAR20GU10-Y5 3W 66pcs DIP led 250lm AC110V / 230V</p>	 <p>RS-BD90-PAR30E27-Y5 4W 90pcs DIP led 360lm AC110V / 230V</p>		
LED Auto lamp & G4				
 <p>RS-G4-21 21pcs DIP led warm white / white AC/DC12V</p>	 <p>RS-G4-21 21pcs DIP led Red /Blue AC/DC12V</p>	 <p>RS-G4-18LED-3020 18pcs led3020 warm white / white AC/DC12V</p>	 <p>RS-G4-6LED-5050 6pcs led smd5050 warm white / white AC/DC12V</p>	 <p>RS-G4-7LED-5050 7pcs led smd5050 warm white / white AC/DC12V</p>
 <p>RS-G4-9LED-5050 9pcs led smd5050 warm white / white AC/DC12V</p>	 <p>RS-G4-12LED-5050 12pcs led smd5050 warm white / white AC/DC12V</p>	 <p>RS-G4-1LED super flux LED warm white / white DC12V</p>	 <p>SW-G4-4LED super flux LED warm white / white AC/DC12V</p>	 <p>SW-G4-14LED lamp LED warm white / white AC/DC12V</p>
 <p>RS-F6-6LED super flux led warm white / white AC/DC12V</p>	 <p>RS-G4-1W 9pcs led smd5050 warm white / white AC/DC12V</p>	 <p>RS-G4-15LED-3528 15pcs led smd3528 warm white / white AC/DC12V</p>		
ABOUT REASHINE LED LIGHTING				
<p>* 8-year experience of LED R & D and production; * LED is from international famous brands such as Cree, Epistar, Rubycon,etc. * Products are tested strictly in detail! Welcome to experience!</p>				
				